

The electronic form of this issue, available as of June 11, 2008, at [www.plantphysiol.org](http://www.plantphysiol.org), is considered the journal of record.

**On the Cover:** Genetically engineered (GE), virus-resistant papaya was widely and rapidly adopted by Hawaiian growers in the late 1990s. Yet, other papaya-producing countries that are plagued with the virus, and that stand to benefit from this technology, have failed to approve it. This is despite the fact that GE papaya is close to an ideal “pro-poor” GE crop. In this issue, one essay (pp. 487–493) examines the political and social factors that have stymied the technology in Thailand. An understanding of these factors may help stakeholders devise better strategies for introducing the next generation of biotechnology crops. Illustration by Evan Clayburg.

## ON THE INSIDE

*Peter V. Minorsky* 439

## EDITORIALS

The Sharing of Research Materials: Do You? *Donald R. Ort* 441

## HIGH IMPACT

Plastoglobule Proteome. *Aleel K. Grennan* 443

## EDITOR'S CHOICE SERIES ON THE NEXT GENERATION OF BIOTECH CROPS

<sup>[W]</sup>Bacterial RNA Chaperones Confer Abiotic Stress Tolerance in Plants and Improved Grain Yield in Maize under Water-Limited Conditions. *Paolo Castiglioni, Dave Warner, Robert J. Bensen, Don C. Anstrom, Jay Harrison, Martin Stoecker, Mark Abad, Ganesh Kumar, Sara Salvador, Robert D'Ordine, Santiago Navarro, Stephanie Back, Mary Fernandes, Jayaprakash Targolli, Santanu Dasgupta, Christopher Bonin, Michael H. Luethy, and Jacqueline E. Heard* 446

RNA Silencing in Plants: Yesterday, Today, and Tomorrow. *Andrew Eamens, Ming-Bo Wang, Neil A. Smith, and Peter M. Waterhouse* 456

Quantitative Trait Loci and Crop Performance under Abiotic Stress: Where Do We Stand? *Nicholas C. Collins, François Tardieu, and Roberto Tuberosa* 469

Forbidden Fruit: Transgenic Papaya in Thailand. *Sarah Nell Davidson* 487

Planning Environmental Risk Assessment for Genetically Modified Crops: Problem Formulation for Stress-Tolerant Crops. *Thomas E. Nickson* 494

## GENOME ANALYSIS

<sup>[W][OA]</sup>A Genome-Wide Functional Investigation into the Roles of Receptor-Like Proteins in Arabidopsis. *Guodong Wang, Ursula Ellendorff, Ben Kemp, John W. Mansfield, Alec Forsyth, Kathy Mitchell, Kubilay Bastas, Chun-Ming Liu, Alison Woods-Tör, Cyril Zipfel, Pierre J.G.M. de Wit, Jonathan D.G. Jones, Mahmut Tör, and Bart P.H.J. Thomma* 503

## BREAKTHROUGH TECHNOLOGIES

<sup>[C][W][OA]</sup>Three-Dimensional Gas Exchange Pathways in Pome Fruit Characterized by Synchrotron X-Ray Computed Tomography. *Pieter Verboven, Greet Kerckhofs, Hibiru Kelemu Mebatsion, Quang Tri Ho, Kristiaan Temst, Martine Wevers, Peter Cloetens, and Bart M. Nicolai* 518

*Continued on next page*

<sup>[W][OA]</sup>Functional Identification of Arabidopsis Stress Regulatory Genes Using the Controlled cDNA Overexpression System. *Csaba Papdi, Edit Ábrahám, Mary Prathiba Joseph, Cristina Popescu, Csaba Koncz, and László Szabados* 528

Artificial trans-Acting siRNAs Confer Consistent and Effective Gene Silencing. *Maria de la Luz Gutiérrez-Nava, Milo J. Aukerman, Hajime Sakai, Scott V. Tingey, and Robert W. Williams* 543

## RESEARCH ARTICLES

### BIOCHEMICAL PROCESSES AND MACROMOLECULAR STRUCTURES

<sup>[OA]</sup>Overexpression of Poplar Cellulase Accelerates Growth and Disturbs the Closing Movements of Leaves in Sengon. *Sri Hartati, Enny Sudarmonowati, Yong Woo Park, Tomomi Kaku, Rumi Kaida, Kei'ichi Baba, and Takahisa Hayashi* 552

<sup>[W]</sup>Knocking Out Cytosolic Cysteine Synthesis Compromises the Antioxidant Capacity of the Cytosol to Maintain Discrete Concentrations of Hydrogen Peroxide in Arabidopsis. *M. Carmen López-Martín, Manuel Becana, Luis C. Romero, and Cecilia Gotor* 562

<sup>[W]</sup>Naphthoquinone-Dependent Generation of Superoxide Radicals by Quinone Reductase Isolated from the Plasma Membrane of Soybean. *Peter Schopfer, Eiri Heyno, Friedel Drepper, and Anja Krieger-Liszky* 864

### BIOENERGETICS AND PHOTOSYNTHESIS

<sup>[W][OA]</sup>The Pentatricopeptide Repeat Protein DELAYED GREENING1 Is Involved in the Regulation of Early Chloroplast Development and Chloroplast Gene Expression in Arabidopsis. *Wei Chi, Jinfang Ma, Dongyuan Zhang, Jinkui Guo, Fan Chen, Congming Lu, and Lixin Zhang* 573

<sup>[W][OA]</sup>Reduction of Plastid-Localized Carbonic Anhydrase Activity Results in Reduced Arabidopsis Seedling Survivorship. *Fernando J. Ferreira, Cathy Guo, and John R. Coleman* 585

<sup>[W][OA]</sup>The Absence of ALTERNATIVE OXIDASE1a in Arabidopsis Results in Acute Sensitivity to Combined Light and Drought Stress. *Estelle Giraud, Lois H.M. Ho, Rachel Clifton, Adam Carroll, Gonzalo Estavillo, Yew-Foon Tan, Katharine A. Howell, Aneta Ivanova, Barry J. Pogson, A. Harvey Millar, and James Whelan* 595

Photosynthetic Utilization of Bicarbonate in *Zostera marina* Is Reduced by Inhibitors of Mitochondrial ATPase and Electron Transport. *Herman Carr and Lennart Axelsson* 879

### CELL BIOLOGY AND SIGNAL TRANSDUCTION

<sup>[W]</sup>Tobacco Mosaic Virus Movement Protein Interacts with Green Fluorescent Protein-Tagged Microtubule End-Binding Protein 1. *Katrin Brandner, Adrian Sambade, Emmanuel Boutant, Pascal Didier, Yves Mély, Christophe Ritzenthaler, and Manfred Heinlein* 611

<sup>[OA]</sup>Roles of Phosphatidylinositol 3-Kinase in Root Hair Growth. *Yuree Lee, Gwangbae Bak, Yunjung Choi, Wen-I Chuang, Hyung-Taeg Cho, and Youngsook Lee* 624

<sup>[C][W][OA]</sup>G $\gamma$ 1 + G $\gamma$ 2  $\neq$  G $\beta$ : Heterotrimeric G Protein G $\gamma$ -Deficient Mutants Do Not Recapitulate All Phenotypes of G $\beta$ -Deficient Mutants. *Yuri Trusov, Wei Zhang, Sarah M. Assmann, and José Ramón Botella* 636

<sup>[C][W]</sup>*pur4* Mutations Are Lethal to the Male, But Not the Female, Gametophyte and Affect Sporophyte Development in Arabidopsis. *Richard Berthomé, Muriel Thomasset, Marion Maene, Nathalie Bourgeois, Nicole Froger, and Françoise Budar* 650

## DEVELOPMENT AND HORMONE ACTION

- [W][OA] PHYTOCHROME KINASE SUBSTRATE4 Modulates Phytochrome-Mediated Control of Hypocotyl Growth Orientation. *Isabelle Schepens, Hernán E. Bocalandro, Chitose Kami, Jorge J. Casal, and Christian Fankhauser* 661
- [C][W][OA] LEUNIG\_HOMOLOG and LEUNIG Perform Partially Redundant Functions during Arabidopsis Embryo and Floral Development. *Jayashree Sitaraman, Minh Bui, and Zhongchi Liu* 672
- [C][W][OA] Functional Redundancy and New Roles for Genes of the Autonomous Floral-Promotion Pathway. *Kira M. Veley and Scott D. Michaels* 682
- Induction of the Arabidopsis *PHO1;H10* Gene by 12-Oxo-Phytodienoic Acid But Not Jasmonic Acid via a CORONATINE INSENSITIVE1-Dependent Pathway. *Cécile Ribot, Céline Zimmerli, Edward E. Farmer, Philippe Reymond, and Yves Poirier* 696
- [W][OA] Two GATA Transcription Factors Are Downstream Effectors of Floral Homeotic Gene Action in Arabidopsis. *Chloe D. Mara and Vivian F. Irish* 707
- [W] Regulation of Dormancy in Barley by Blue Light and After-Ripening: Effects on Abscisic Acid and Gibberellin Metabolism. *Frank Gubler, Trijntje Hughes, Peter Waterhouse, and John Jacobsen* 886

## ENVIRONMENTAL STRESS AND ADAPTATION TO STRESS

- [W][OA] AtOSA1, a Member of the Abc1-Like Family, as a New Factor in Cadmium and Oxidative Stress Response. *Michal Jasinski, Damien Sudre, Gert Schansker, Maya Schellenberg, Signarbieux Constant, Enrico Martinoia, and Lucien Bovet* 719
- [W][OA] Regulatory Network of MicroRNA399 and *PHO2* by Systemic Signaling. *Shu-I Lin, Su-Fen Chiang, Wei-Yi Lin, June-Wei Chen, Ching-Ying Tseng, Pei-Chi Wu, and Tzyy-Jen Chiou* 732
- [W] Transcript Profiling Reveals New Insights into the Acclimation of the Mesophilic Fresh-Water Cyanobacterium *Synechococcus elongatus* PCC 7942 to Iron Starvation. *Anke Nodop, Daniel Pietsch, Ralf Höcker, Anke Becker, Elfriede K. Pistorius, Karl Forchhammer, and Klaus-Peter Michel* 747
- [W] Tocotrienols, the Unsaturated Forms of Vitamin E, Can Function as Antioxidants and Lipid Protectors in Tobacco Leaves. *Michel Matringe, Brigitte Ksas, Pascal Rey, and Michel Havaux* 764
- [W][OA] Differential Regulation of the Expression of Two High-Affinity Sulfate Transporters, SULTR1.1 and SULTR1.2, in Arabidopsis. *Hatem Rouached, Markus Wirtz, Remi Alary, Rüdiger Hell, A. Bulak Arpat, Jean-Claude Davidian, Pierre Fourcroy, and Pierre Berthomieu* 897

## PLANTS INTERACTING WITH OTHER ORGANISMS

- [W] Role of Swollenin, an Expansin-Like Protein from *Trichoderma*, in Plant Root Colonization. *Yariv Brotman, Eden Briff, Ada Viterbo, and Ilan Chet* 779
- Light Regulation and Daytime Dependency of Inducible Plant Defenses in Arabidopsis: Phytochrome Signaling Controls Systemic Acquired Resistance Rather Than Local Defense. *Thomas Griebel and Jürgen Zeier* 790
- [W] The Wheat Mitogen-Activated Protein Kinases TaMPK3 and TaMPK6 Are Differentially Regulated at Multiple Levels during Compatible Disease Interactions with *Mycosphaerella graminicola*. *Jason J. Rudd, John Keon, and Kim E. Hammond-Kosack* 802
- [W][OA] Evidence for Abscisic Acid Biosynthesis in *Cuscuta reflexa*, a Parasitic Plant Lacking Neoxanthin. *Xiaoqiong Qin, Seung Hwan Yang, Andrea C. Kepsel, Steven H. Schwartz, and Jan A.D. Zeevaart* 816

## WHOLE PLANT AND ECOPHYSIOLOGY

- <sup>[OA]</sup>A Diurnal Component to the Variation in Sieve Tube Amino Acid Content in Wheat. *Stefano Gattolin, H. John Newbury, Jeffrey S. Bale, Hua-Ming Tseng, David A. Barrett, and Jeremy Pritchard* 912
- <sup>[OA]</sup>The Stomata of the Fern *Adiantum capillus-veneris* Do Not Respond to CO<sub>2</sub> in the Dark and Open by Photosynthesis in Guard Cells. *Michio Doi and Ken-ichiro Shimazaki* 922

## SYSTEMS BIOLOGY, MOLECULAR BIOLOGY, AND GENE REGULATION

- <sup>[CI][W]</sup>Gene Expression and Metabolism in Tomato Fruit Surface Tissues. *Shira Mintz-Oron, Tali Mandel, Ilana Rogachev, Liron Feldberg, Ofra Lotan, Merav Yativ, Zhonghua Wang, Reinhard Jetter, Ilya Venger, Avital Adato, and Asaph Aharoni* 823
- <sup>[CI][W][OA]</sup>RUPTURED POLLEN GRAIN1, a Member of the MtN3/saliva Gene Family, Is Crucial for Exine Pattern Formation and Cell Integrity of Microspores in Arabidopsis. *Yue-Feng Guan, Xue-Yong Huang, Jun Zhu, Ju-Fang Gao, Hong-Xia Zhang, and Zhong-Nan Yang* 852

## CORRECTIONS

- Enzymatic Properties and Subcellular Localization of Arabidopsis  $\beta$ -N-Acetylhexosaminidases. *R. Strasser, J.S. Bondili, J. Schoberer, B. Svoboda, E. Liebmingner, J. Glössl, F. Altmann, H. Steinkellner, and L. Mach* 931
- SHORT HYPOCOTYL IN WHITE LIGHT1, a Serine-Arginine-Aspartate-Rich Protein in Arabidopsis, Acts as a Negative Regulator of Photomorphogenic Growth. *S. Bhatia, S.N. Gangappa, R. Kushwaha, S. Kundu, and S. Chattopadhyay*

<sup>[CI]</sup> Some figures in this article are displayed in color online but in black and white in the print edition.

<sup>[W]</sup> Indicates Web-only data.

<sup>[OA]</sup> Open Access articles can be viewed online without a subscription.