

On the Cover: Inhibition of fatty acid synthase in *Chlamydomonas* has a strong impact on chloroplast morphology and function, ultimately leading to autophagy activation. These fluorescence confocal microscopy images show a progressive decrease of chloroplast autofluorescence in cells treated with cerulenin, a specific inhibitor of fatty acid synthase. Credit: María Esther Pérez-Pérez, José L. Crespo and Luis Gonzaga Heredia-Martínez

ON THE INSIDE

Peter V. Minorsky 950

EDITORIAL

Plant Physiology Introduces New Editorial and News Formats for Reader Contributions and Discussion. *Mike Blatt* 952

LETTER TO THE EDITOR

What Is the Minimal Optimal Sample Size for Plant Ecophysiological Studies? *Marina Pérez-Llorca, Erola Fenollosa, Roberto Salguero-Gómez, and Sergi Munné-Bosch* 953

NEWS AND VIEWS

Setting and Diffusing the Cyanide Bomb in Plant Defense. *Trevor H. Yeats* 956

Autophagy and Chloroplast Quality Control: Fatty Acid Synthesis Counts. *Chunhua Zhang* 958

LETTERS

^[OPEN]*genome uncoupled1* Mutants Are Hypersensitive to Norflurazon and Lincomycin. *Xiaobo Zhao, Jianshan Huang, and Joanne Chory*

Arabidopsis gun1 mutants show hypersensitive phenotypes to both norflurazon and lincomycin. 960

^[OPEN]The *genomes uncoupled* Mutants Are More Sensitive to Norflurazon Than Wild Type. *Lijuan Song, Zefan Chen, and Robert M. Larkin*

The increased sensitivity of the genomes uncoupled mutants to norflurazon indicates that they are probably deficient in plastid-to-nucleus signaling and are unequivocally not resistant to norflurazon. 965

TOPICAL REVIEW

^[OPEN]Halophytism: What Have We Learnt From *Arabidopsis thaliana* Relative Model Systems? *Yana Kazachkova, Gil Eshel, Pramod Pantha, John M. Cheeseman, Maheshi Dassanayake, and Simon Barak* 972

BREAKTHROUGH TECHNOLOGIES

Engineering Artificial MicroRNAs for Multiplex Gene Silencing and Simplified Transgenic Screen. *Nanman Zhang, Dandan Zhang, Samuel L. Chen, Ben-Qiang Gong, Yanjun Guo, Lahong Xu, Xiao-Ning Zhang, and Jian-Feng Li*

Improvements to amiRNA technology, including amiRNA design, transgenic screening for maximal gene-silencing mutants, and multiplex performance, facilitate its applications in plants. 989

RESEARCH ARTICLES

ECOPHYSIOLOGY AND SUSTAINABILITY

^[OPEN]An in Vivo Imaging Assay Detects Spatial Variability in Glucose Release from Plant Roots. *Priyamvada Voothuluru, David M. Braun, and John S. Boyer*

A gel-based, enzyme-coupled imaging assay demonstrates tightly regulated and species-specific spatial patterns of glucose release from roots. 1002

Continued on next page

BIOCHEMISTRY AND METABOLISM

[OPEN]The Patterned Structure of Galactoglucomannan Suggests It May Bind to Cellulose in Seed Mucilage. *Li Yu, Jan J. Lyczakowski, Caroline S. Pereira, Toshihisa Kotake, Xiaolan Yu, An Li, Soren Mogelvang, Munir S. Skaf, and Paul Dupree*

Galactoglucomannan synthesized by CSLA2 and MAGT1 has a patterned structure that may influence the mode of binding to cellulose fibrils. 1011

[OPEN]Early Senescence in Older Leaves of Low Nitrate-Grown *Atxdh1* Uncovers a Role for Purine Catabolism in N Supply. *Aigerim Soltabayeva, Sudhakar Srivastava, Assylay Kurmanbayeva, Aizat Bekturova, Robert Fluhr, and Moshe Sagi*

Purine catabolism mutants reveal a role for purine-related nitrogen sources in older leaves during low nitrate supply. 1027

[OPEN]Identification of Key Enzymes for Pectin Synthesis in Seed Mucilage. *Cătălin Voiniciuc, Kristen A. Engle, Markus Günl, Sabine Dieluweit, Maximilian Heinrich-Wilhelm Schmidt, Jeong-Yeh Yang, Kelley W. Moremen, Debra Mohnen, and Björn Usadel*

Mutations in two glycosyltransferase-encoding genes severely impair the elongation of pectic rhamnogalacturonan I, resulting in hydrophobic seeds that do not release mucilage polymers. 1045

Differential Roles of the Thylakoid Lumenal Deg Protease Homologs in Chloroplast Proteostasis. *Yana Butenko, Albina Lin, Leah Naveh, Meital Kupervaser, Yishai Levin, Ziv Reich, and Zach Adam*

Physiological, biochemical, and proteomic analyses of Arabidopsis mutants reveal the relationship between Deg1 and Deg5-Deg8 protease complexes and demonstrate a more prominent role in growth for Deg1. 1065

[OPEN]Reconfigured Cyanogenic Glucoside Biosynthesis in *Eucalyptus cladocalyx* Involves a Cytochrome P450 CYP706C55. *Cecilie Cetti Hansen, Mette Sørensen, Thiago A.M. Veiga, Juliane F.S. Zibrandtsen, Allison M. Heskes, Carl Erik Olsen, Berin A. Boughton, Birger Lindberg Møller, and Elizabeth H.J. Neilson*

Cyanogenic glucoside biosynthesis in Eucalyptus cladocalyx requires an additional pathway step, involving three CYPs from the CYP79, CYP706, and CYP71 families, and a glucosyltransferase UGT85. 1081

[OPEN]Elucidation of the Amygdalin Pathway Reveals the Metabolic Basis of Bitter and Sweet Almonds (*Prunus dulcis*). *Sara Thodberg, Jorge Del Cueto, Rosa Mazzeo, Stefano Pavan, Concetta Lotti, Federico Dicenta, Elizabeth H. Jakobsen Neilson, Birger Lindberg Møller, and Raquel Sánchez-Pérez*

Two missing enzyme activities in the amygdalan pathway result in sweet versus formation of bitter almonds. 1096

CELL BIOLOGY

[OPEN]Chloroplast Damage Induced by the Inhibition of Fatty Acid Synthesis Triggers Autophagy in *Chlamydomonas*. *Luis Gonzaga Heredia-Martínez, Ascensión Andrés-Garrido, Enrique Martínez-Force, María Esther Pérez-Pérez, and José L. Crespo*

Inhibition of fatty acid synthase in Chlamydomonas activates major catabolic pathways, including autophagy, through a mechanism that involves the activation of a chloroplast quality control system. 1112

Actin Reorganization Triggers Rapid Cell Elongation in Roots. *Hiroto Takatsuka, Takumi Higaki, and Masaaki Umeda*

Cytokinin signaling promotes actin bundling in Arabidopsis root cells, which triggers rapid cell elongation. 1130

Comparison of Micropore Distribution in Cell Walls of Softwood and Hardwood Xylem. *Lloyd A. Donaldson, Mathew Cairns, and Stefan J. Hill*

Molecular microscopy shows that distribution of porosity across the secondary cell wall in xylem is predominantly related to the degree of lignification in different cell wall layers. 1142

GENES, DEVELOPMENT AND EVOLUTION

[^{OPEN}] Arabidopsis *PIRL6* Is Essential for Male and Female Gametogenesis and Is Regulated by Alternative Splicing. Nancy R. Forsthoefel, Kendra A. Klag, Savannah R. McNichol, Claire E. Arnold, Corina R. Vernon, Whitney W. Wood, and Daniel M. Vernon

A leucine-rich repeat protein related to animal cell signaling components is important for gametogenesis, with gametophyte-specific expression achieved by alternative mRNA splicing. 1154

[^{OPEN}] FLOWERING LOCUS T3 Controls Spikelet Initiation But Not Floral Development. Muhammad Aman Mulki, Xiaojing Bi, and Maria von Korff

FLOWERING LOCUS T3 (FT3) promotes spikelet formation but not floral development under long- and short-day conditions in barley. 1170

[^{OPEN}] Timing and Order of the Molecular Events Marking the Onset of Berry Ripening in Grapevine. Marianna Fasoli, Chandra L. Richter, Sara Zenoni, Edoardo Bertini, Nicola Vitulo, Silvia Dal Santo, Nick Dokoozlian, Mario Pezzotti, and Giovanni Battista Tornielli

A transcriptomic and metabolomic map of grape berry development elucidates timing and order of the key events of the global reprogramming featuring the ripening process. 1187

[^{OPEN}] A Trihelix Family Transcription Factor Is Associated with Key Genes in Mixed-Linkage Glucan Accumulation. Mingzhu Fan, Klaus Herburger, Jacob K. Jensen, Starla Zemelis-Durfee, Federica Brandizzi, Stephen C. Fry, and Curtis G. Wilkerson

A trihelix family transcription factor regulates the expression of a mixed-linkage glucan biosynthesis gene and a gene encoding a MLG:xyloglucan endotransglucosylase. 1207

Evidence for the Regulation of Gynoecium Morphogenesis by *ETTIN* via Cell Wall Dynamics. Amélie Andres-Robin, Mathieu C. Reymond, Antoine Dupire, Virginie Battu, Nelly Dubrulle, Grégory Mouille, Valérie Lefebvre, Jérôme Pelloux, Arezki Boudaoud, Jan Traas, Charles P. Scutt, and Françoise Monéger

ETTIN, a transcription factor also known as Auxin Response Factor 3, enhances PME activity in the valve tissue, thus maintaining low cell wall stiffness and proper gynoecium morphogenesis. 1222

[^{OPEN}] *INCREASING NODULE SIZE1* Expression Is Required for Normal Rhizobial Symbiosis and Nodule Development. Xinxin Li, Jiakun Zheng, Yongqing Yang, and Hong Liao

GmINS1, a candidate gene underlying a major QTL for nodulation, functions in nodule development and is important for nitrogen fixation in soybean. 1233

Time-Course Transcriptome Analysis of Arabidopsis Siliques Discloses Genes Essential for Fruit Development and Maturation. Chiara Mizzotti, Lisa Rotasperi, Marco Moretto, Luca Tadini, Francesca Resentini, Bianca M. Galliani, Massimo Galbiati, Kristof Engelen, Paolo Pesaresi, and Simona Masiero

Dynamic changes in the transcriptome of developing seedless fruits reveals key regulators of fruit growth and maturation. 1249

MEMBRANES, TRANSPORT AND BIOENERGETICS

[^{OPEN}] Nodulin Intrinsic Protein 7;1 Is a Tapetal Boric Acid Channel Involved in Pollen Cell Wall Formation. Pratyush Routray, Tian Li, Arisa Yamasaki, Akira Yoshinari, Junpei Takano, Won Gyu Choi, Carl E. Sams, and Daniel M. Roberts

NIP7;1 is a dicot-specific boric acid permease on the plasma membrane of tapetum cells, and is necessary for pollen exine wall formation during microsporogenesis under limiting boric acid conditions. 1269

SIGNALING AND RESPONSE

- ^[OPEN]MKK6 Functions in Two Parallel MAP Kinase Cascades in Immune Signaling. *Kehui Lian, Fang Gao, Tongjun Sun, Rowan van Wersch, Kevin Ao, Qing Kong, Yukino Nitta, Di Wu, Patrick Krysan, and Yuelin Zhang*
- Arabidopsis* MKK6 has multiple functions in plant defense responses in addition to its role in cytokinesis. 1284
- ^[OPEN]MdMYB88 and MdMYB124 Enhance Drought Tolerance by Modulating Root Vessels and Cell Walls in Apple. *Dali Geng, Pengxiang Chen, Xiaoxia Shen, Yi Zhang, Xuewei Li, Lijuan Jiang, Yinpeng Xie, Chundong Niu, Jing Zhang, Xiaohua Huang, Fengwang Ma, and Qingmei Guan*
- MdMYB88 and MdMYB124 are critical for apple (*Malus × domestica*) tolerance to drought by mediating root architecture, xylem vessel development, and cell wall deposition.* 1296
- ^[OPEN]Distinct Roles of Non-Overlapping Surface Regions of the Coiled-Coil Domain in the Potato Immune Receptor Rx1. *Erik J. Sloatweg, Laurentiu N. Spiridon, Eliza C. Martin, Wladimir I.L. Tameling, Philip D. Townsend, Rikus Pomp, Jan Roosien, Olga Drawaska, Octavina C.A. Sukarta, Arjen Schots, Jan Willem Borst, Matthieu H.A.J. Joosten, Jaap Bakker, Geert Smant, Martin J. Cann, Andrei-Jose Petrescu, and Aska Goverse*
- Mutation of the coiled-coil domain of the intracellular immune receptor Rx1 led to distinct cell death and resistance phenotypes and revealed regions of Rx1 required for interactions between Rx1 and the co-factor RanGAP2.* 1310
- ^[OPEN]VAMP711 Is Required for Abscisic Acid-Mediated Inhibition of Plasma Membrane H⁺-ATPase Activity. *Yuan Xue, Yongqing Yang, Zhijia Yang, Xiangfeng Wang, and Yan Guo*
- The SNARE protein VAMP711 is involved in regulating abscisic acid-mediated inhibition of plasma membrane H⁺-ATPase activity in response to drought stress.* 1332
- Non-Enzymatic Synthesis of Bioactive Isoprostanooids in the Diatom *Phaeodactylum* following Oxidative Stress. *Josselin Lupette, Antoine Jaussaud, Claire Vigor, Camille Oger, Jean-Marie Galano, Guillaume Réversat, Joseph Vercauteren, Juliette Jouhet, Thierry Durand, and Eric Maréchal*
- The non-enzymatic peroxidation of polyunsaturated fatty acids present in phosphatidylcholine and betaine lipids generates isoprostanooids that mediate part of the oxidative stress response.* 1344
- Chloroplast Accumulation Response Enhances Leaf Photosynthesis and Plant Biomass Production. *Eiji Gotoh, Noriyuki Suetugu, Wataru Yamori, Kazuhiro Ishishita, Ryota Kiyabu, Masako Fukuda, Takeshi Higa, Bungo Shirouchi, and Masamitsu Wada*
- Chloroplast accumulation response facilitates efficient light capture in leaves and is required for the enhancement of leaf photosynthesis and plant biomass production.* 1358
- ^[OPEN]Root Gravitropism Is Regulated by a Crosstalk between *para*-Aminobenzoic Acid, Ethylene, and Auxin. *Hugues Nziengui, Hanna Lasok, Philip Kochersperger, Benedetto Ruperti, Fabrice Rébeillé, Klaus Palme, and Franck Anicet Ditengou*
- Endogenous free para-aminobenzoic acid levels modulate the auxin-ethylene crosstalk necessary for root gravitropism.* 1370
- SENSITIVE TO SALT1, An Endoplasmic Reticulum-Localized Chaperone, Positively Regulates Salt Resistance. *Peiyan Guan, Jun Wang, Hui Li, Chen Xie, Shizhong Zhang, Changai Wu, Guodong Yang, Kang Yan, Jinguang Huang, and Chengchao Zheng*
- Molecular chaperone SES1 positively regulates salt stress resistance by alleviating salt-induced ER stress.* 1390
- ^[OPEN]Digital Imaging Combined with Genome-Wide Association Mapping Links Loci to Plant-Pathogen Interaction Traits. *Rachel F. Fordyce, Nicole E. Soltis, Celine Caseys, Raoni Gwinner, Jason A. Corwin, Susana Atwell, Daniel Copeland, Julie Feusier, Anushriya Subedy, Robert Eshbaugh, and Daniel J. Kliebenstein*
- Computer vision allows the identification of genes controlling uncharacterized lesion traits in Arabidopsis.* 1406

CORRECTIONS

Unique Drought Resistance Functions of the Highly ABA-Induced Clade A Protein Phosphatase 2Cs. *Bhaskara G.B., Nguyen T.T., and Verslues P.E.*

1423

DIACYLGLYCEROL ACYLTRANSFERASE and DIACYLGLYCEROL KINASE Modulate Triacylglycerol and Phosphatidic Acid Production in the Plant Response to Freezing Stress. *Tan W.-J., Yang Y.-C., Zhou Y., Huang L.-P., Xu L., Chen Q.-F., Yu L.-J., and Xiao S.*

1424

[CC-BY] Article free via Creative Commons CC-BY 4.0 license.

[OPEN] Articles can be viewed without a subscription.