

**On the Cover:** Two shell protein paralogs of the carboxysome (icosahedral structure), the carbon dioxide fixation microcompartment in  $\beta$ -cyanobacteria, form heterohexamers that stack into dodecamers (blue/cyan hexagons) which can alter shell permeability. The carboxysomes in *Synechococcus elongatus* 7942 are found along the long axis of the cell (stylized, merged fluorescence microscopy image with a YFP-labeled shell protein and CFP-labeled RuBisCO). Credit: Markus Sutter, Manuel Sommer, Sigal Lechno-Yossef, Cheryl A. Kerfeld.

## THANK YOU TO REVIEWERS AND EDITORS

An acknowledgment of *Plant Physiology* reviewers and editors. 1

## ON THE INSIDE

*Peter V. Minorsky* 11

## NEWS AND VIEWS

Another *gun* Dismantled: ABSCISIC ACID INSENSITIVE4 Is Not a Target of Retrograde Signaling. *Amna Mhamdi and Charlotte M.M. Gommers* 13

Moonlighting Enzymes: How Often Are We Missing Secondary Functions? *Raimund Nagel* 15

Plant Cell Wall Composition: Does Ploidy Matter? *Leonor C. Boavida* 16

## LETTER

[OPEN]Plastid-to-Nucleus Retrograde Signalling during Chloroplast Biogenesis Does Not Require ABI4. *Sylvia M. Kacprzak, Nobuyoshi Mochizuki, Belén Naranjo, Duorong Xu, Dario Leister, Tatjana Kleine, Haruko Okamoto, and Matthew J. Terry*

*Multiple abi4 alleles fail to show a deficiency in chloroplast-to-nucleus retrograde signalling indicating that, contrary to contemporary models, ABI4 is not a component of this signalling pathway.* 18

## BREAKTHROUGH TECHNOLOGIES

[OPEN]Semiautomated Feature Extraction from RGB Images for Sorghum Panicle Architecture GWAS. *Yan Zhou, Srikant Srinivasan, Seyed Vahid Mirnezami, Aaron Kusmec, Qi Fu, Lakshmi Attigala, Maria G. Salas Fernandez, Baskar Ganapathysubramanian, and Patrick S. Schnable*

*Image-based phenotyping facilitates the genetic dissection of uni- and multi-dimensional traits of sorghum panicles.* 24

[OPEN]Long-Read Annotation: Automated Eukaryotic Genome Annotation Based on Long-Read cDNA Sequencing. *David E. Cook, Jose Espejo Valle-Inclan, Alice Pajoro, Hanna Rovenich, Bart P.H.J. Thomma, and Luigi Faino*

*The Long Read Annotation (LoReAn) pipeline provides automated genome annotation with superior performance by incorporating single-molecule cDNA sequencing data.* 38

## RESEARCH REPORTS

[OPEN]Initial Bud Outgrowth Occurs Independent of Auxin Flow from Out of Buds. *Tinashe G. Chabikwa, Philip B. Brewer, and Christine A. Beveridge*

*The early bud outgrowth stimulated by decapitation or cytokinin occurs independent of auxin flow from axillary buds.* 55

Continued on next page

Healthy Roots and Leaves: Comparative Genome Structure of Horseradish and Watercress. *Terezie Mandáková and Martin A. Lysak*

*The tetraploid genomes of horseradish and watercress are almost identical structurally, differentiated only by a 2.4-Mb chromosome translocation, and both presumably originated by autopolyploidization.*

66

## RESEARCH ARTICLES

[<sup>OPEN</sup>] Polyploidy Affects Plant Growth and Alters Cell Wall Composition. *Sander Corneillie, Nico De Storme, Rebecca Van Acker, Jonatan U. Fangel, Michiel De Bruyne, Riet De Rycke, Danny Geelen, William G. T. Willats, Bartel Vanholme, and Wout Boerjan*

*In Arabidopsis, the basic somatic ploidy level is highly correlated with cell size, cell division, and cell wall composition, and polyploidy has a beneficial effect on saccharification yield.*

74

[<sup>OPEN</sup>] The SUMO E3 Ligase MdSIZ1 Targets MdbHLH104 to Regulate Plasma Membrane H<sup>+</sup>-ATPase Activity and Iron Homeostasis. *Li-Jie Zhou, Chun-Ling Zhang, Rui-Fen Zhang, Gui-Luan Wang, Yuan-Yuan Li, and Yu-Jin Hao*

*The SUMO E3 ligase MdSIZ1 sumoylates and stabilizes MdbHLH104 to increase PM H<sup>+</sup>-ATPase mediated rhizosphere acidification and Fe acquisition under conditions of Fe deficiency in apple.*

88

HCN Regulates Cellular Processes through Posttranslational Modification of Proteins by S-cyanylation. *Irene García, Lucía Arenas-Alfonseca, Inmaculada Moreno, Cecilia Gotor, and Luis C. Romero*

*Hydrogen cyanide can act as a signaling molecule through posttranslational modification of protein cysteine residues, leading to S-cyanylation.*

107

[<sup>OPEN</sup>] Loss of Phosphoethanolamine N-Methyltransferases Abolishes Phosphatidylcholine Synthesis and Is Lethal. *Weihua Chen, Matthew C. Taylor, Russell A. Barrow, Mikaël Croyal, and Josette Masle*

*The phospho-base methylation pathway is vital for phosphatidylcholine synthesis and plant life, and its committing step critically depends on key individual residues at the N terminus of PEAMT enzymes.*

124

Aphid-borne Viral Spread Is Enhanced by Virus-induced Accumulation of Plant Reactive Oxygen Species. *Huijuan Guo, Liyuan Gu, Fanqi Liu, Fajun Chen, Feng Ge, and Yucheng Sun*

*One viral protein of cucumber mosaic virus triggers plant defensive signaling and modifies vector feeding behavior so as to increase virus acquisition and transmission.*

143

[<sup>OPEN</sup>] Heterohexamers Formed by CcmK3 and CcmK4 Increase the Complexity of Beta Carboxysome Shells. *Manuel Sommer, Markus Sutter, Sayan Gupta, Henning Kirst, Aiko Turmo, Sigal Lechno-Yossef, Rodney L. Burton, Christine Saechao, Nancy B. Sloan, Xiaolin Cheng, Leanne-Jade G. Chan, Christopher J. Petzold, Miguel Fuentes-Cabrera, Corie Y. Ralston, and Cheryl A. Kerfeld*

*Two shell protein paralogs of the carboxysome, the carbon dioxide fixation microcompartment in  $\beta$ -cyanobacteria, form heterohexamers that stack into dodecamers, which would alter shell permeability.*

156

[<sup>OPEN</sup>] The SUMO Conjugation Complex Self-Assembles into Nuclear Bodies Independent of SIZ1 and COP1. *Magdalena J. Mazur, Mark Kwaaitaal, Manuel Arroyo Mateos, Francesca Maio, Ramachandra K. Kini, Marcel Prins, and Harrold A. van den Burg*

*SUMO conjugation activity causes the formation of SUMO nuclear bodies, which strongly overlap with COP1-containing nuclear bodies due to a VP motif in the E3 ligase SIZ1 that acts as bridge protein.*

168

- [<sup>CC-BY</sup>] Roles of RbcX in Carboxysome Biosynthesis in the Cyanobacterium *Synechococcus elongatus* PCC7942. Fang Huang, Olga Vasieva, Yaqi Sun, Matthew Faulkner, Gregory F. Dykes, Ziyu Zhao, and Lu-Ning Liu  
*RbcX, the chaperone for Rubisco biogenesis, is involved in carboxysome assembly in Synechococcus elongatus 7942.* 184
- [<sup>OPEN</sup>] OHP1, OHP2, and HCF244 Form a Transient Functional Complex with the Photosystem II Reaction Center. Yonghong Li, Bei Liu, Jiao Zhang, Fanna Kong, Lin Zhang, Han Meng, Wenjing Li, Jean-David Rochaix, Dan Li, and Lianwei Peng  
*OHP1, OHP2, and HCF244 form a transient PSII reaction center (RC)-like complex that promotes the assembly and repair of the PSII complex.* 195
- [<sup>CC-BY</sup>] Recursive Paleohexaploidization Shaped the Durian Genome. Jinpeng Wang, Jiaqing Yuan, Jigao Yu, Fanbo Meng, Pengchuan Sun, Yuxian Li, Nanshan Yang, Zhenyi Wang, Yuxin Pan, Weina Ge, Li Wang, Jing Li, Chao Liu, Yuhao Zhao, Sainan Luo, Dongcen Ge, Xiaobo Cui, Guangdong Feng, Ziwei Wang, Lei Ji, Jun Qin, Xiuqing Li, Xiyin Wang, and Zhiyan Xi  
*Durian genome reanalysis reveals a specific hexaploidization and a decaploidization in the cotton lineage that increased its evolutionary rate, explaining a previous misinterpretation.* 209
- [<sup>OPEN</sup>] Elongator Is Required for Root Stem Cell Maintenance by Regulating *SHORTROOT* Transcription. Linlin Qi, Xiaoyue Zhang, Huawei Zhai, Jian Liu, Fangming Wu, Chuanyou Li, and Qian Chen  
*Elongator subunits associate with the pre-mRNA of SHORT ROOT and recruit RNAPII to the SHR gene body, and thereby contribute to root stem cell maintenance and radial patterning.* 220
- [<sup>OPEN</sup>] *ANGUSTIFOLIA* Regulates Actin Filament Alignment for Nuclear Positioning in Leaves. Kosei Iwabuchi, Haruna Ohnishi, Kentaro Tamura, Yoichiro Fukao, Tomoyuki Furuya, Koro Hattori, Hirokazu Tsukaya, and Ikuko Hara-Nishimura  
*In dark-adapted Arabidopsis cells, nuclei position toward the body center of the leaf, a centripetal nuclear positioning process regulated by ANGUSTIFOLIA through the alignment of actin filaments.* 233
- PUMPKIN, the Sole Plastid UMP Kinase, Associates with Group II Introns and Alters Their Metabolism. Lisa-Marie Schmid, Lisa Ohler, Torsten Möhlmann, Andreas Brachmann, Jose M. Muiño, Dario Leister, Jörg Meurer, and Nikolay Manavski  
*PUMPKIN binds to the introns of trnG-UCC, trnV-UAC, petB, petD, and ndhA in chloroplasts and impacts their metabolism.* 248
- [<sup>OPEN</sup>] EPFL Signals in the Boundary Region of the SAM Restrict Its Size and Promote Leaf Initiation. Pawel Z. Kosentka, Alexander Overholt, Richard Maradiaga, Omar Mitoubsi, and Elena D. Shpak  
*Four epidermal patterning factor-like genes expressed at the periphery of the meristem restrict shoot apical meristem size and promote leaf initiation when sensed by ERECTA family receptors.* 265
- Auxin Function in the Brown Alga *Dictyota dichotoma*. Kenny A. Bogaert, Lander Blommaert, Karin Ljung, Tom Beeckman, and Olivier De Clerck  
*Auxin plays a role in the apical-basal patterning of the multicellular brown alga Dictyota dichotoma, supporting auxin function in polarity control outside the green lineage.* 280
- Genetic Dissection of Fe-Dependent Signaling in Root Developmental Responses to Phosphate Deficiency. Xiaoyue Wang, Zhen Wang, Zai Zheng, Jinsong Dong, Li Song, Liqian Sui, Laurent Nussaume, Thierry Desnos, and Dong Liu  
*Genetic analyses reveal the relationship among the three key molecular components involved in regulating Fe-dependent root developmental responses to phosphate deficiency in Arabidopsis.* 300

Archetypal Roles of an Abscisic Acid Receptor in Drought and Sugar Responses in Liverworts. *Akida Jahan, Kenji Komatsu, Mai Wakida-Sekiya, Mayuka Hiraide, Keisuke Tanaka, Rumi Ohtake, Taishi Umezawa, Tsukasa Toriyama, Akihisa Shinozawa, Izumi Yotsui, Yoichi Sakata, and Daisuke Takezawa*

*The receptor for abscisic acid, which regulates seed dormancy and stomatal closure, mediates desiccation tolerance and sugar responses in liverworts that represent early diverging lineages of embryophytes.* 317

<sup>[OPEN]</sup>Adaption of Roots to Nitrogen Deficiency Revealed by 3D Quantification and Proteomic Analysis. *Lu Qin, Thomas C. Walk, Peipei Han, Liyu Chen, Sheng Zhang, Yinshui Li, Xiaojia Hu, Lihua Xie, Yong Yang, Jiping Liu, Xing Lu, Changbing Yu, Jiang Tian, Jon E Shaff, Leon V. Kochian, Xing Liao, and Hong Liao*

*Proteomics analysis reveals the mechanisms underlying root architectural changes in response to N deficiency.* 329

<sup>[OPEN]</sup>RAMOSA1 ENHANCER LOCUS2-Mediated Transcriptional Repression Regulates Vegetative and Reproductive Architecture. *Xue Liu, Mary Galli, Iris Camehl, and Andrea Gallavottia*

*Genetic and molecular analysis of the maize REL2 transcriptional corepressor defines a function for the WD40 domain of TOPLESS proteins and reveals a major role for REL2 in meristem development.* 348

<sup>[CC-BY]</sup> Article free via Creative Commons CC-BY 4.0 license.

<sup>[OPEN]</sup> Articles can be viewed without a subscription.