

On the Cover: The structure is a trait that defines Asteraceae (the daisy family) taxonomically. In a capitulum numerous flowers and leaves are grouped together to mimic a solitary flower. It has been proposed that the success of Asteraceae as the largest flowering plant family is due to its capitulum. Despite its uniqueness and prevalence, patterning mechanisms involved in capitulum development remain elusive. Zoulias et al reported that auxin provides a developmental cue for capitulum patterning by regulating the downstream lateral organ genes in a morphogen-like manner. The cover shows a scanning electron microscopic image of a *Matricaria inodora* (scentless camomile) capitulum in which flowers are patterned in a Fibonacci spiral. Image credit: Nicholas Zoulias and Minsung Kim.

ON THE INSIDE

Peter V. Minorsky 364

NEWS AND VIEWS

Hijacking the ER Membrane: Lessons from *Turnip mosaic virus*. Lynn G. L. Richardson 367

BREAKTHROUGH TECHNOLOGIES

[OPEN] Analysis of OJIP Chlorophyll Fluorescence Kinetics and Q_A Reoxidation Kinetics by Direct Fast Imaging. Hendrik Küpper, Zuzana Benedikty, Filis Morina, Elisa Andresen, Archana Mishra, and Martin Trtílek

Direct imaging with ultrafast cameras is a new technology for accurate analysis of OJIP and Q_A re-oxidation kinetics without artifacts. 369

RESEARCH REPORTS

[OPEN] Terpene Biosynthesis in Red Algae Is Catalyzed by Microbial Type But Not Typical Plant Terpene Synthases. Guo Wei, Qidong Jia, Xinlu Chen, Tobias G. Köllner, Debashish Bhattacharya, Gane Ka-Shu Wong, Jonathan Gershenzon, and Feng Chen

Comprehensive genomic analysis and experimental verification provide conclusive evidence that red algal terpenes are biosynthesized by microbial-type terpene synthases. 382

[CC-BY] The Role of Auxin in the Pattern Formation of the Asteraceae Flower Head (Capitulum). Nicholas Zoulias, Sascha H. C. Duttke, Helena Garcês, Victoria Spencer, and Minsung Kim

Auxin and key flower meristem genes play a pivotal role in patterning of the capitulum, a key innovation that taxonomically defines the daisy family. 391

RESEARCH ARTICLES

BIOCHEMISTRY AND METABOLISM

CYP76B74 Catalyzes the 3'-Hydroxylation of Geranylhydroquinone in Shikonin Biosynthesis. Sheng Wang, Ruishan Wang, Tan Liu, Chaogeng Lv, Jiuwen Liang, Chuanzhi Kang, Liangyun Zhou, Juan Guo, Guanghong Cui, Yan Zhang, Daniele Werck-Reichhart, Lanping Guo, and Luqi Huang

*CYP76B74 encodes geranylhydroquinone 3'-hydroxylase involved in the shikonin biosynthetic pathway and is necessary for the accumulation of shikonin derivatives in *Arnebia euchroma*.* 402

Arabidopsis CER1-LIKE1 Functions in a Cuticular Very-Long-Chain Alkane-Forming Complex. Stéphanie Pascal, Amélie Bernard, Paul Deslous, Julien Gronnier, Ashley Fournier-Goss, Frédéric Domergue, Owen Rowland, and Jérôme Joubès

The characterization of a further cuticular alkane synthesis enzyme in Arabidopsis supports a model in which several alkane-forming complexes with distinct chain-length substrate specificities coexist in plants. 415

Continued on next page

[OPEN] A Methyltransferase Trio Essential for Phosphatidylcholine Biosynthesis and Growth. Yu-chi Liu, Ying-Chen Lin, Kazue Kanehara, and Yuki Nakamura

Three phospho-base N-methyltransferases have tissue-specific functions in phosphatidylcholine biosynthesis, which is essential for plant growth.

433

CELL BIOLOGY

[OPEN] The Largest Subunit of DNA Polymerase Delta Is Required for Normal Formation of Meiotic Type I Crossovers. Cong Wang, Jiyue Huang, Jun Zhang, Hongkuan Wang, Yapeng Han, Gregory P. Copenhaver, Hong Ma, and Yingxiang Wang

The Arabidopsis DNA polymerase δ catalytic subunit is required for the normal formation of meiotic interference-sensitive crossovers.

446

[OPEN] The Local Phosphate Deficiency Response Activates Endoplasmic Reticulum Stress-Dependent Autophagy. Christin Naumann, Jens Müller, Siriwat Sakhonwasee, Annika Wieghaus, Gerd Hause, Marcus Heisters, Katharina Bürstenbinder, and Steffen Abel

The developmental response of root meristems to local phosphate limitation activates endoplasmic reticulum stress-dependent autophagy.

460

ABI5-BINDING PROTEIN2 Coordinates CONSTANS to Delay Flowering by Recruiting the Transcriptional Corepressor TPR2. Guanxiao Chang, Wenjuan Yang, Qili Zhang, Jinling Huang, Yongping Yang, and Xiangyang Hu

ABI5-BINDING PROTEIN2 interacts with TPR2 and CONSTANS to delay flowering time

477

[OPEN] Medicago LINC Complexes Function in Nuclear Morphology, Nuclear Movement, and Root Nodule Symbiosis. Anna H. Newman-Griffis, Pablo del Cerro, Myriam Charpentier, and Iris Meier

The Medicago genome encodes nuclear envelope-spanning LINC complexes that function in nuclear shaping, nuclear movement, and root nodule symbiosis.

491

A Host ER Fusogen Is Recruited by Turnip Mosaic Virus for Maturation of Viral Replication Vesicles. Nooshin Movahed, Jiaqi Sun, Hojatollah Vali, Jean-François Laliberté, and Huanquan Zheng

Interacting with 6K2 of TuMV ER fusogen RHD3 is recruited by TuMV for the efficient formation of replication-competent vesicles in infected host cells.

507

[OPEN] A Golgi-Released Subpopulation of the Trans-Golgi Network Mediates Protein Secretion in Arabidopsis. Tomohiro Uemura, Ryohei Thomas Nakano, Junpei Takagi, Yiming Wang, Katharina Kramer, Iris Finkemeier, Hirofumi Nakagami, Kenichi Tsuda, Takashi Ueda, Paul Schulze-Lefert, and Akihiko Nakano

The Golgi-released independent trans-Golgi network mediates the protein secretory pathway that is needed for extracellular delivery of cell wall-modification enzymes.

519

ECOPHYSIOLOGY AND SUSTAINABILITY

[OPEN] Hydraulics Regulate Stomatal Responses to Changes in Leaf Water Status in the Fern *Athyrium filix-femina*. Amanda A. Cardoso, Joshua M. Randall, and Scott A. M. McAdam

Stomatal responses to water status in ferns are highly predictable and not functionally regulated by the hormone abscisic acid.

533

GENES, DEVELOPMENT AND EVOLUTION

[OPEN] Characterization of CRISPR Mutants Targeting Genes Modulating Pectin Degradation in Ripening Tomato. Duoduo Wang, Nurul H. Samsulrizal, Cheng Yan, Natalie S. Allcock, Jim Craigon, Barbara Blanco-Ulate, Isabel Ortega-Salazar, Susan E. Marcus, Hassan Moeiniyan Bagheri, Laura Perez Fons, Paul D. Fraser, Timothy Foster, Rupert Fray, J. Paul Knox, and Graham B. Seymour

Comparative analysis of tomato cell wall mutants indicates only pectate lyase has a major impact on fruit softening, but other enzymes play an important role in coordinating cell wall disassembly.

544

Continued on next page

[OPEN]RSL Class II Transcription Factors Guide the Nuclear Localization of RHL1 to Regulate Root Hair Development. Sunok Moon, Lae-Hyeon Cho, Yu-Jin Kim, Yun-Shil Gho, Ho Young Jeong, Woo-Jong Hong, Chanhui Lee, Hyon Park, Nam-Soo Jwa, Sarmina Dangol, Yafei Chen, Hayeong Park, Hyun-Soo Cho, Gynheung An, and Ki-Hong Jung

Root Hair Defective Six Like (RSL) Class II family proteins regulate root hair development by mediating RHL1 import into the nucleus. 558

MEMBRANES, TRANSPORT AND BIOENERGETICS

[OPEN]The Plastidic Sugar Transporter pSuT Influences Flowering and Affects Cold Responses. Kathrin Patzke, Pratiwi Prananingrum, Patrick A.W. Klemens, Oliver Trentmann, Cristina Martins Rodrigues, Isabel Keller, Alisdair R. Fernie, Peter Geigenberger, Bettina Bölter, Martin Lehmann, Stephan Schmitz-Esser, Benjamin Pommerrenig, Ilka Haferkamp, and H. Ekkehard Neuhaus

pSuT, a chloroplast envelope-localized monosaccharide transporter, mediates sucrose transport to the cytosol, which modulates flowering time, stem branching, and cold tolerance in Arabidopsis. 569

PGR5-Dependent Cyclic Electron Flow Protects Photosystem I under Fluctuating Light at Donor and Acceptor Sides. Hiroshi Yamamoto and Toshiharu Shikanai

PGR5-dependent CET protects PSI from photodamage under fluctuating light via the regulation of electron transport at both donor and acceptor sides of PSI. 588

OXA2b is Crucial for Proper Membrane Insertion of COX2 during Biogenesis of Complex IV in Plant Mitochondria. Renuka Kolli, Jürgen Soll, and Chris Carrie

OXA2b is crucial for biogenesis of complex IV in plant mitochondria. 601

[OPEN]Cation Specificity of Vacuolar NHX-Type Cation/H⁺ Antiporters. Elias Bassil, Shiqi Zhang, Haijun Gong, Hiromi Tajima, and Eduardo Blumwald

NHX-type vacuolar cation/H⁺ antiporters control vacuolar pH and K⁺ and Na⁺ transport. 616

Chlororespiration Controls Growth Under Intermittent Light. Wojciech J. Nawrocki, Felix Buchert, Pierre Joliot, Fabrice Rappaport, Benjamin Bailleul, and Francis-André Wollman

Chlororespiration consumes photo-generated reductants in the green alga *Chlamydomonas reinhardtii* during periods without illumination, thus regulating the redox state of the chloroplast and preparing photosynthesis for the onset of light. 630

[OPEN]Vacuolar Phosphate Transporters Contribute to Systemic Phosphate Homeostasis Vital for Reproductive Development in Arabidopsis. Mingda Luan, Fugeng Zhao, Xingbao Han, Guangfang Sun, Yang Yang, Jinlong Liu, Jisen Shi, Aigen Fu, Wenzhi Lan, and Sheng Luan

Vacuolar phosphate transporters maintain the systemic Pi homeostasis necessary for reproductive development by contributing to vacuolar Pi sequestration. 640

[OPEN]OsPHT1;3 Mediates Uptake, Translocation, and Remobilization of Phosphate under Extremely Low Phosphate Regimes. Ming Xing Chang, Mian Gu, Yu Wei Xia, Xiao Li Dai, Chang Rong Dai, Jun Zhang, Shi Chao Wang, Hong Ye Qu, Naoki Yamaji, Jian Feng Ma, and Guo Hua Xu

P transporter OsPHT1;3 functions in P uptake, translocation, and remobilization of P in rice under extremely low P regimes. 656

SIGNALING AND RESPONSE

BZR1 Mediates Brassinosteroid-Induced Autophagy and Nitrogen Starvation in Tomato. Yu Wang, Jia-Jian Cao, Kai-Xin Wang, Xiao-Jian Xia, Kai Shi, Yan-Hong Zhou, Jing-Quan Yu, and Jie Zhou

Brassinosteroid triggers the formation of autophagosomes through induction of the transcription factor brassinazole-resistant1, which involves the regulation of nitrogen starvation tolerance in tomato. 671

[OPEN]Modulation of Auxin Signaling and Development by Polyadenylation Machinery. Wei Zeng, Xinhua Dai, Jing Sun, Yifeng Hou, Xuan Ma, Xiaofeng Cao, Yunde Zhao, and Youfa Cheng

Continued from preceding page

A component of the polyadenylation machinery modulates auxin response and development. 686

[^{OPEN}] *BpNAC012 Positively Regulates Abiotic Stress Responses and Secondary Wall Biosynthesis.* Ping Hu, Kaimin Zhang, and Chuanping Yang

BpNAC012 is a transcriptional regulator of both abiotic stress responses and secondary wall biosynthesis. 700

*Nitric Oxide Remodels the Photosynthetic Apparatus upon S-Starvation in *Chlamydomonas reinhardtii*.* Marcello De Mia, Stéphane D. Lemaire, Yves Choquet, and Francis-André Wollman

*Nitric oxide is actively involved in cytochrome *b₆f* and Rubisco degradation upon sulfur starvation.* 718

[^{OPEN}] *Pivotal Roles of Cryptochromes 1a and 2 in Tomato Development and Physiology.* Elio Fantini, Maria Sulli, Lei Zhang, Giuseppe Aprea, José M. Jiménez-Gómez, Abdelhafid Bendahmane, Gaetano Perrotta, Giovanni Giuliano, and Paolo Facella

**cry1a* and *cry2* control tomato seed development, photomorphogenesis, circadian rhythmicity, and leaf and fruit metabolite composition.* 732

SIHY5 Integrates Temperature, Light, and Hormone Signaling to Balance Plant Growth and Cold Tolerance. Feng Wang, Luyue Zhang, Xiaoxiao Chen, Xiaodan Wu, Xun Xiang, Jie Zhou, Xiaojian Xia, Kai Shi, Jingquan Yu, Christine H. Foyer, and Yanhong Zhou

*Tomato phytochrome-dependent SIHY5 signaling regulates ABA and GA biosynthesis by directly binding to and activating the transcription of *SIGA2ox4* and *SINCED6* to balance plant growth and cold tolerance.* 749

SYSTEMS AND SYNTHETIC BIOLOGY

*Genome-Scale Fluxome of *Synechococcus elongatus* UTEX 2973 Using Transient ¹³C-Labeling Data.* John I. Hendry, Saratram Gopalakrishnan, Justin Ungerer, Himadri B. Pakrasi, Yinjie J. Tang, and Costas D. Maranas

*Flux elucidation in *Synechococcus* 2973 reveals a fast and efficient routing of CO₂ to biomass facilitated by the reincorporation of CO₂ lost in photorespiration and peripheral metabolism.* 761

CORRECTION

FYVE1 Is Essential for Vacuole Biogenesis and Intracellular. Kolb C., Nagel M.-K., Kalinowska K., Hagmann J., Ichikawa M., Anzenberger E., Alkofer A., Sato M.H., Braun P., and Isono E 770

[^{CC-BY}] Article free via Creative Commons CC-BY 4.0 license.

[^{OPEN}] Articles can be viewed without a subscription.