

On the Cover: Artist-enhanced visualization of the transcriptional network regulated by the transcription factor WRKY1 in response to combined light and nitrogen treatments. The WRKY1 transcription factor integrates information about cellular nitrogen and energy resources to trigger changes in primary metabolism. Image by Amy Marshall-Colon, enhanced by Kathryn Faith for the Art of Science 6.0 exhibition, an annual showcase to engage the public through research-focused, aesthetically highlighted artworks, by the Carl R. Woese Institute for Genomic Biology at the University of Illinois Urbana-Champaign.

ON THE INSIDE

Peter V. Minorsky 834

NEWS AND VIEWS

Pyrethrin Biosynthesis: From a Phytohormone to Specialized Metabolite. *Raimund Nagel* 836

PIF4 Plays a Conserved Role in *Solanum lycopersicum*. *Scott Hayes* 838

Decoding Natural Variation in Chloroplast Size. *Lynn G.L. Richardson* 840

Plant Tomosyn Is a Negative Regulator of SNARE-Mediated Secretion in Pollen. *Emily R. Larson* 843

No Stakes for High Strength Corn. *Kim L. Johnson* 845

Simulation Modeling Platform Provides a Powerful Tool for Identifying Optimal Traits and Management Practices for Wheat Production. *Robert P. Skelton* 847

WRKY1 Integrates Cellular Nitrogen and Light-Energy Resources in *Arabidopsis thaliana*. *Tessa Moses* 849

NTRC: A Key Regulatory Hub in Carbon Metabolism and Redox Balance in Developing Tomato Fruits. *Maria Grazia Annunziata* 851

How To Identify Autophagy Modulators. *Masanori Izumi* 853

BREAKTHROUGH TECHNOLOGIES

Chemical Screening Pipeline for Identification of Specific Plant Autophagy Modulators. *Adrian N. Dauphinee, Catarina Cardoso, Kerstin Dalman, Jonas A. Ohlsson, Stina Berglund Fick, Stéphanie Robert, Glenn R. Hicks, Peter V. Bozhkov, and Elena A. Minina*

New guidelines for precise and reliable quantification of plant autophagy can be efficiently utilized to identify specific plant autophagy modulators. 855

A Plant Virus-Based Vector System for Gene Function Studies in Pepper. *Boram Choi, Sun-Jung Kwon, Myung-Hwi Kim, Siwon Choe, Hae-Ryun Kwak, Mi-Kyeong Kim, Choongyun Jung, and Jang-Kyun Seo*

A plant virus-based system enables transient gain- and loss-of-function studies in pepper, a highly recalcitrant species for genetic transformation. 867

^[OPEN]Estimation of Plant and Canopy Architectural Traits Using the Digital Plant Phenotyping Platform. *Shouyang Liu, Pierre Martre, Samuel Buis, Mariem Abichou, Bruno Andrieu, and Frédéric Baret*

The Digital Plant Phenotyping Platform can be used to design and interpret phenotyping measurements for structural or functional trait extraction. 881

RESEARCH REPORT

^[OPEN]Establishment of a Heterologous RNA Editing Event in Chloroplasts. *Filomena Vanessa Loiacono, Wolfram Thiele, Mark Aurel Schöttler, Michael Tillich, and Ralph Bock*

An Arabidopsis PPR protein fully edits a heterologous editing site from spinach in tobacco chloroplasts. 891

Continued on next page

RESEARCH ARTICLES

BIOCHEMISTRY AND METABOLISM

[^{OPEN}] **ECERIFERUM11/C-TERMINAL DOMAIN PHOSPHATASE-LIKE2 Affects Secretory Trafficking.** Lin Shi, Gillian H. Dean, Huanquan Zheng, Miranda J. Meents, Tegan M. Haslam, George W. Haughn, and Ljerka Kunst

Secretion of cuticular wax and cell wall components in developing epidermal cells involves a dephosphorylation step catalyzed by ECERIFERUM11/CTD PHOSPHATASE LIKE2. 901

Purine Permease-Type Benzylisoquinoline Alkaloid Transporters in Opium Poppy. Mehran Dastmalchi, Limei Chang, Rongji Chen, Lisa Yu, Xue Chen, Jillian M. Hagel, and Peter J. Facchini

The study of a family of alkaloid transporters in opium poppy shows a key role for alkaloid uptake in yeast strains engineered to produce opiate alkaloids. 916

[^{OPEN}] **Pyrethrin Biosynthesis: The Cytochrome P450 Oxidoreductase CYP82Q3 Converts Jasmolone To Pyrethrolone.** Wei Li, Daniel B. Lybrand, Fei Zhou, Robert L. Last, and Eran Pichersky

*Cytochrome P450 CYP82Q3 from *Tanacetum cinerariifolium* is involved in the introduction of the double bond in the side chain of jasmolone to generate pyrethrolone, a component of pyrethrin insecticide.* 934

[^{OPEN}] **Catalytic Plasticity of Germacrene A Oxidase Underlies Sesquiterpene Lactone Diversification.** Trinh-Don Nguyen, Moonhyuk Kwon, Soo-Un Kim, Conrad Fischer, and Dae-Kyun Ro

The striking catalytic plasticity of germacrene A oxidase, an evolutionary conserved enzyme in the Asteraceae, has led to the existence of diverse sesquiterpene lactones, including artemisinin. 945

[^{OPEN}] **A Combined Metabolomics and Fluxomics Analysis Identifies Steps Limiting Oil Synthesis in Maize Embryos.** Jean-Christophe Cocuron, Mohamed Koubaa, Rebecca Kimmelfield, Zachary Ross, and Ana Paula Alonso

A comparative metabolomic and fluxomic study of maize embryos with diverse oil content reveals the biochemical pathways that are enhanced to achieve higher oil levels. 961

[^{OPEN}] **NTRC Plays a Crucial Role in Starch Metabolism, Redox Balance, and Tomato Fruit Growth.** Liang-Yu Hou, Matthias Ehrlich, Ina Thormählen, Martin Lehmann, Ina Krahnert, Toshihiro Obata, Francisco J. Cejudo, Alisdair R. Fernie, and Peter Geigenberger

An established regulator of photosynthetic processes in leaves influences tomato fruit quality by regulating starch accumulation, redox balance, and fruit growth. 976

[^{OPEN}] **An Age-Dependent Sequence of Physiological Processes Defines Developmental Root Senescence.** Zhaojun Liu, Chakravarthy B.N. Marella, Anja Hartmann, Mohammad R. Hajirezaei, and Nicolaus von Wirén

A sequence of physiological, morphological, and molecular events in aging plants suggests that roots undergo a genetically determined developmental program typical of organ senescence. 993

[^{OPEN}] **A Role for Tocopherol Biosynthesis in Arabidopsis Basal Immunity to Bacterial Infection.** Elia Stahl, Michael Hartmann, Nicola Scholten, and Jürgen Zeier

*Tocopherol biosynthesis is required for effective basal resistance of Arabidopsis to *Pseudomonas syringae* infection.* 1008

[^{OPEN}] **Remodeling of Chlamydomonas Metabolism Using Synthetic Inducers Results in Lipid Storage during Growth.** Nishikant Wase, Boqiang Tu, Girish Kumar Rasineni, Ronald Cerny, Ryan Grove, Jiri Adamec, Paul N. Black, and Concetta C. DiRusso

Multi-omics analyses reveal metabolic pathway activities induced by two synthetic compounds that increase lipid synthesis during microalgal growth. 1029

[^{OPEN}]Structure of a Synthetic β -Carboxysome Shell. Markus Sutter, Thomas G. Laughlin, Nancy B. Sloan, Daniel Serwas, Karen M. Davies, and Cheryl A. Kerfeld

The high-resolution cryo-EM structure of a synthetic β -carboxysome shell reveals the specific protein interactions and assists in future study of permeability and encapsulation properties.

1050

CELL BIOLOGY

[^{OPEN}]Allelic Variation in the Chloroplast Division Gene *FtsZ2-2* Leads to Natural Variation in Chloroplast Size. Deena K. Kadirjan-Kalbach, Aiko Turmo, Jie Wang, Brandon C. Smith, Cheng Chen, Katie J. Porter, Kevin L. Childs, Dean DellaPenna, and Katherine W. Osteryoung

Genetic mapping in Arabidopsis and analysis of sequences in the 1001 Genomes database reveal allelic variation in a chloroplast division gene is associated with natural variation in chloroplast size.

1059

[^{OPEN}]Redox-Mediated Endocytosis of a Receptor-Like Kinase during Distal Stem Cell Differentiation Depends on Its Tumor Necrosis Factor Receptor Domain. Yingying Qin, Li Yang, Zhihui Sun, Xiangfeng Wang, Yu Wang, Jing Zhang, Amin Ur Rehman, Zhizhong Chen, Junsheng Qi, Baoshan Wang, Chunpeng Song, Shuhua Yang, and Zhizhong Gong

Redox homeostasis plays crucial roles in determining distal stem cell identity in Arabidopsis roots, a process mediated by the receptor-like kinase ACR4.

1075

[^{CC-BY}] K^+ Channel-SEC11 Binding Exchange Regulates SNARE Assembly for Secretory Traffic. Sakharam Waghmare, Cecile Lefoulon, Ben Zhang, Edita Liliakyte, Naomi Donald, and Michael R. Blatt

K^+ channels initiate a binding exchange with the SNARE SYP121 to trigger SNARE complex assembly and drive secretory vesicle fusion at the plant plasma membrane.

1096

Overexpressed Tomosyn Binds Syntaxins and Blocks Secretion during Pollen Development. Bingxuan Li, Yanbin Li, Feng Liu, Xiaoyun Tan, Qingchen Rui, Yueshan Tong, Lixin Qiao, Rongrong Gao, Ge Li, Rui Shi, Yan Li, and Yiqun Bao

Overexpressed Tomosyn protein inhibits secretion in pollen by competitively binding to syntaxins, the proteins that control secretory vesicle fusion with its target compartment.

1114

Chitinase-like1 Plays a Role in Stalk Tensile Strength in Maize. Shuping Jiao, Jan P. Hazebroek, Mark A. Chamberlin, Mark Perkins, Ajay S. Sandhu, Rajeev Gupta, Kevin D. Simcox, Li Yinghong, Alan Prall, Lynn Heetland, Robert B. Meeley, and Dilbag S. Multani

Phenotypic, histological, and biochemical characterization of loss-of-function mutant and overexpression lines of Chitinase-like1 support a role for ZmCt11 in tensile strength enhancement in maize.

1127

ECOPHYSIOLOGY AND SUSTAINABILITY

[^{OPEN}]A Novel Hypothesis for the Role of Photosynthetic Physiology in Shaping Macroevolutionary Patterns. Charilaos Yiotis and Jennifer C. McElwain

Physiological differences between angiosperms, gymnosperms, and ferns may have resulted in differential effects of past atmospheric change on their relative competitiveness.

1148

[^{OPEN}]Exploring the Hydraulic Failure Hypothesis of Esca Leaf Symptom Formation. Giovanni Bortolami, Gregory A. Gambetta, Sylvain Delzon, Laurent J. Lamarque, Jérôme Pouzoulet, Eric Badel, Régis Burlett, Guillaume Charrier, Hervé Cochard, Silovina Dayer, Steven Jansen, Andrew King, Pascal Lecomte, Frederic Lens, José M. Torres-Ruiz, and Chloé E.L. Delmas

Leaf scorch symptom development is associated with the disruption of vessel integrity.

1163

[^{OPEN}]Two-Source $\delta^{18}O$ Method to Validate the $CO^{18}O$ -Photosynthetic Discrimination Model: Implications for Mesophyll Conductance. Meisha Holloway-Phillips, Lucas A. Cernusak, Hilary Stuart-Williams, Nerea Ubierna, and Graham D. Farquhar

A new isotopic method confirms mesophyll conductance estimates from the theory of $CO^{18}O$ -photosynthetic discrimination with some evidence for spatial variation in the isotopic composition of leaf water and unsaturation of the leaf internal airspace.

1175

GENES, DEVELOPMENT AND EVOLUTION

[OPEN]Xyloglucans and Microtubules Synergistically Maintain Meristem Geometry and Phyllotaxis. *Feng Zhao, Wenqian Chen, Julien Sechet, Marjolaine Martin, Simone Bovio, Claire Lionnet, Yuchen Long, Virginie Battu, Grégory Mouille, Françoise Monéger, and Jan Traas*

Xyloglucans and microtubule dynamics synergistically maintain meristem geometry and robustness of phyllotaxis in Arabidopsis. 1191

[OPEN]Favorable Alleles of GRAIN-FILLING RATE1 Increase the Grain-Filling Rate and Yield of Rice. *Erbao Liu, Siyuan Zeng, Shangshang Zhu, Yang Liu, Guocan Wu, Kaiming Zhao, Xiaoli Liu, Qiangming Liu, Zhiyao Dong, Xiaojing Dang, Hui Xie, Dalu Li, Xiaoxiao Hu, and Delin Hong*

Favorable alleles can improve the grain-filling rate in hybrid japonica rice by enhancing both carbon-fixing activity and the expression of a gene related to sucrose unloading. 1207

[OPEN]Earlier Degraded Tapetum1 (EDT1) Encodes an ATP-Citrate Lyase Required for Tapetum Programmed Cell Death. *Wenting Bai, Peiran Wang, Jun Hong, Weiyi Kong, Yanjia Xiao, Xiaowen Yu, Hai Zheng, Shimin You, Jiayu Lu, Dekun Lei, Chaolong Wang, Qiming Wang, Shijia Liu, Xi Liu, Yunlu Tian, Liangming Chen, Ling Jiang, Zhigang Zhao, Chuanyin Wu, and Jianmin Wan*

The ATP-citrate lyase, Earlier Degraded Tapetum1 (EDT1), plays a fundamental role in rice pollen development and is involved in cellular metabolism and tapetum programmed cell death. 1223

[OPEN]Root Epidermal Cell Patterning Is Modulated by a Critical Residue in the WEREWOLF Transcription Factor. *Wenjia Wang, Kook Hui Ryu, Christa Barron, and John Schiefelbein*

A residue in the WEREWOLF transcription factor is critical for the proper balance of target gene expression and establishment of the regulatory network for patterning the Arabidopsis root epidermis. 1239

MEMBRANES, TRANSPORT AND BIOENERGETICS

[OPEN]Loss of ALBINO3b Insertase Results in Truncated Light-Harvesting Antenna in Diatoms. *Marianne Nymark, Charlotte Volpe, Marthe Caroline Grønbech Hafskjold, Henning Kirst, Manuel Serif, Olav Vadstein, Atle Magnar Bones, Anastasios Melis, and Per Wingé*

Diatom ALB3b is required for insertion of Fx-Chl-binding proteins in thylakoid membranes and has a novel conserved domain implying that its interaction partners differ from those in plants/green algae. 1257

[OPEN]BCL2-ASSOCIATED ATHANOGENE4 Regulates the KAT1 Potassium Channel and Controls Stomatal Movement. *Antonella Locascio, Maria Carmen Marqués, Guillermo García-Martínez, Claire Corratgé-Faillie, Nuria Andrés-Colás, Lourdes Rubio, José Antonio Fernández, Anne-Aliénor Véry, José Miguel Mulet, and Lynne Yenush*

The evolutionarily conserved Arabidopsis protein BAG4 regulates the KAT1 potassium channel and stomatal movement, and is a possible target for development of plants with increased water use efficiency. 1277

SIGNALLING AND RESPONSE

Mutation of a Nucleotide-Binding Leucine-Rich Repeat Immune Receptor-Type Protein Disrupts Immunity to Bacterial Blight. *Jiuyou Tang, Yiqin Wang, Wenchao Yin, Guojun Dong, Kai Sun, Zhenfeng Teng, Xujiang Wu, Shimei Wang, Yangwen Qian, Xuebiao Pan, Qian Qian, and Chengcai Chu*

A gain-of-function mutation in a nucleotide-binding leucine-rich repeat immune receptor-type protein suppresses pattern-triggered or effector-triggered immunity to Xanthomonas oryzae in rice. 1295

The Calmodulin-Binding Protein IQM1 Interacts with CATALASE2 to Affect Pathogen Defense. *Tianxiao Lv, Xiaoming Li, Tian Fan, Huiting Luo, Chuping Xie, Yuping Zhou, and Chang-en Tian*

AtIQM1 positively regulates jasmonic acid content and resistance to Botrytis cinerea by interacting with and stimulating the reactive oxygen species scavenger CATALASE2. 1314

[OPEN] ABA-Induced Sugar Transporter TaSTP6 Promotes Wheat Susceptibility to Stripe Rust. *Baoyu Huai, Qian Yang, Yingrui Qian, Wenhao Qian, Zhensheng Kang, and Jie Liu*

Upregulation of the wheat sugar transporter gene TaSTP6 promotes host susceptibility to stripe rust possibly due to increased hexose concentration. 1328

[OPEN] CIRCADIAN CLOCK-ASSOCIATED1 Controls Resistance to Aphids by Altering Indole Glucosinolate Production. *Jiixin Lei, Guddarangavvanahally K. Jayaprakasha, Jashbir Singh, Rammohan Uckoo, Eli J. Borrego, Scott Finlayson, Mike Kolomiets, Bhimanagouda S. Patil, Janet Braam, and Keyan Zhu-Salzman*

The Arabidopsis CCA1 influences plant resistance to green peach aphids by modulating indole glucosinolate biosynthesis. 1344

Downregulation of PHYTOCHROME-INTERACTING FACTOR 4 Influences Plant Development and Fruit Production. *Daniele Rosado, Bruna Trench, Ricardo Bianchetti, Rafael Zuccarelli, Frederico Rocha Rodrigues Alves, Eduardo Purgatto, Eny Iochevet Segal Floh, Fabio Tebaldi Silveira Nogueira, Luciano Freschi, and Magdalena Rossi*

Silencing of a light-signaling factor reveals developmental trade-offs between tomato plant growth, senescence, fruit yield, and nutritional quality. 1360

SYSTEMS AND SYNTHETIC BIOLOGY

[OPEN] WRKY1 Mediates Transcriptional Regulation of Light and Nitrogen Signaling Pathways. *Sachin Heerah, Manpreet Katari, Rebecca Penjor, Gloria Coruzzi, and Amy Marshall-Colon*

Based on transcriptome analysis, the WRKY1 transcription factor simultaneously mediates regulation of nitrogen and light signaling pathways in a potential energy conservation mechanism. 1371

CORRECTIONS

Differential N-end Rule Degradation of RIN4/NOI Fragments Generated by the AvrRpt2 Effector Protease. *Goslin K., Eschen-Lippold L., Naumann C., Linster E., Sorel M., Klecker M., de Marchi R., Kind A., Wirtz M., Lee J., Dissmeyer N., and Graciet E.* 1389

MicroRNAs Regulate the Timing of Embryo Maturation in Arabidopsis. *Willmann M.R., Mehalick A.J., Packer R.L, and Jenik P.D.* 1392

RETRACTION

G-Protein Complex Mutants Are Hypersensitive to Abscisic Acid Regulation of Germination and Postgermination Development. *Pandey S., Chen J.-G., Jones A.M., and Assmann S.M.* 1393

[CC-BY] Article free via Creative Commons CC-BY 4.0 license.

[OPEN] Articles can be viewed online without a subscription.